#### **CHAPTER**



## **Equations and Inequalities**

### **Lesson 8.1 Solving Algebraic Equations**

Evaluate each expression for the given value of the variable.

**1.** 
$$x + 4$$
 when  $x = 3$ 

**2.** 
$$y - 6$$
 when  $y = 10$ 

3. 
$$3x + 4$$
 when  $x = 5$ 

**4.** 
$$5y - 6$$
 when  $y = 4$ 

**5.** 
$$\frac{5y}{4}$$
 when  $y = 8$ 

**6.** 
$$\frac{4k}{3}$$
 + 5 when  $k = 6$ 

To solve the equation

a number that can be added to 6 to equal 10.

x + 6 = 10, think of

Solve each equation using the substitution method.

Example -

$$x + 6 = 10$$

If 
$$x = 2$$
,  $x + 6 = 2 + 6$ 

If 
$$x = 3$$
,  $x + 6 = _{\underline{\phantom{0}}} + 6$ 

If 
$$x = 4$$
,  $x + 6 = 4 + 6$ 

x = 4 is the solution of the equation x + 6 = 10.

7. x + 8 = 15

If 
$$x = 5$$

If 
$$x = 5$$
,  $x + 8 = \underline{\hspace{1cm}} + 8$ 

If 
$$x = 6$$
,

If 
$$x = \underline{\hspace{1cm}} + 8 = \underline{\hspace{1cm}} + 8$$



x = is the solution of the equation x + 8 = 15.

**8.** m-7=12

If 
$$m = 17$$

If 
$$m = 17$$
,  $m - 7 = \underline{\hspace{1cm}} - 7$ 

If 
$$m = 18$$
,

If 
$$m = \underline{\hspace{1cm}} - 7$$

m =\_\_\_\_\_ is the solution of the equation m - 7 = 12.

**9.** a + 3 = 11

**10.** 
$$g - 4 = 5$$

**11.** 
$$b + 7 = 12$$

**12.** 
$$h + 10 = 18$$

**13.** 
$$k - 9 = 7$$

**14.** 
$$p - 15 = 3$$

To solve the equation

4p = 16, think of a number that can be

multiplied by 4 to

equal 16.

### Solve each equation using the substitution method.

- Example -

$$4p = 16$$

If 
$$p = 2$$
,  $4p = 4 \cdot _{\underline{}}$ 

If 
$$p = 3$$
,  $4p = 4 \cdot _{\underline{\phantom{0}}}$ 

If 
$$p = 4$$
,  $4p = 4 \cdot 4$ 

$$=$$
 16

p = 4 is the solution of the equation 4p = 16.

**15.** 6p = 30

If 
$$p = 3$$

If 
$$p = 3$$
,  $6p = 6 \cdot ____$ 

If 
$$p = 4$$

If 
$$p = 4$$
,  $6p = 6 \cdot ____$ 

If 
$$p =$$
\_\_\_\_\_\_\_,  $6p = 6 \cdot$ \_\_\_\_\_\_

p = is the solution of the equation 6p = 30.

**16.**  $\frac{1}{4}w = 3$ 

If 
$$w = 10$$

If 
$$w = 10$$
,  $\frac{1}{4}w = \frac{1}{4} \cdot \underline{\hspace{1cm}}$ 



If 
$$w = 11$$
,

If 
$$w = 11$$
,  $\frac{1}{4}w = \frac{1}{4} \cdot \underline{\hspace{1cm}}$ 

If 
$$w = \underline{\hspace{1cm}}$$

If 
$$w =$$
\_\_\_\_\_\_,  $\frac{1}{4}w = \frac{1}{4} \cdot$ \_\_\_\_\_

w =\_\_\_\_\_ is the solution of the equation  $\frac{1}{4}w = 3$ .

Name: \_\_\_\_\_

Date: \_\_\_\_\_

**18.** 
$$8z = 56$$

**19.** 
$$\frac{1}{2}b = 9$$

**20.** 
$$\frac{1}{3}k = 10$$

#### Solve each equation using the concept of balancing.


Example

$$x + 12 = 28$$

$$x + 12 = 28$$

$$x = _{16}$$

 $x = \underline{16}$  is the solution of the equation x + 12 = 28.



$$a + 9 = 24$$

$$a =$$
\_\_\_\_\_ is the solution of the equation  $a + 9 = 24$ .

Name: \_\_\_\_\_

Date: \_\_\_\_\_

**22.** c + 14 = 31

c = is the solution of the equation c + 14 = 31.

**23.** w + 15 = 32

**24.** 
$$g + 16 = 37$$

**25.** 75 = p + 29

**26.** 
$$83 = s + 46$$

### Solve each equation using the concept of balancing.

– Example –

$$w - 9 = 17$$

$$w - 9 = 17$$

$$w-9 + 9 = 17 + 9$$

 $w = \underline{26}$  is the solution of the equation w - 9 = 17.



**27.** w - 8 = 25

$$w - 8 = 25$$

w =\_\_\_\_\_ is the solution of the equation w - 8 = 25.

**28.** k - 13 = 8

$$k - 13 = 8$$

$$k - 13 \bigcirc = 8 \bigcirc$$

k = is the solution of the equation k - 13 = 8.

**29.** b - 13 = 21

**30.** 
$$37 = d - 18$$

**31.** 
$$m - 15 = 9$$

**32.** 
$$11 = y - 29$$

#### Solve each equation using the concept of balancing.


Example -

$$3x = 18$$

$$3x = 18$$

$$3x \left( \div \right) \underline{\qquad} = 18 \left( \div \right) \underline{\qquad} 3$$

x = 6 is the solution of the equation 3x = 18.





**33.** 
$$7x = 42$$

$$7x = 42$$

x = \_\_\_\_\_ is the solution of the equation 7x = 42.

**34.** 
$$5p = 30$$

$$5p = 30$$

$$5p = 30$$

p =\_\_\_\_\_ is the solution of the equation 5p = 30.

**35.** 7*m* = 49

**36.** 9w = 108

**37.** 6*n* = 48

**38.** 11*e* = 77

### Solve each equation using the concept of balancing.


Example -

$$\frac{x}{8} = 4$$

$$\frac{x}{8} = 4$$

$$\frac{x}{8} \cdot \underline{\qquad 8} = 4 \cdot \underline{\qquad 8}$$

 $x = \underline{32}$  is the solution of the equation  $\frac{x}{8} = 4$ .



**39.** 
$$\frac{w}{9} = 6$$

$$\frac{w}{9} = 6$$

w =\_\_\_\_\_\_ is the solution of the equation  $\frac{w}{9} = 6$ .

**40.** 
$$\frac{y}{4} = 9$$

$$\frac{y}{4} = 9$$

y =\_\_\_\_\_\_ is the solution of the equation  $\frac{y}{4} = 9$ .

**41.** 
$$\frac{m}{9} = 3$$

**42.** 
$$\frac{h}{7} = 10$$

**43.** 
$$5 = \frac{b}{8}$$

**44.** 
$$7 = \frac{s}{9}$$

## Solve each equation using the concept of balancing. Write your answer in simplest form.

Example

$$x + \frac{1}{6} = \frac{5}{6}$$

$$x + \frac{1}{6} = \frac{5}{6}$$

$$x + \frac{1}{6} - \frac{\frac{1}{6}}{\frac{1}{6}} = \frac{5}{6} - \frac{\frac{1}{6}}{\frac{1}{6}}$$

$$x = \frac{4}{6}$$

$$=\frac{\frac{2}{3}}{}$$

Subtract  $\frac{1}{6}$  from both sides of the equation and the two sides will remain equal. Then simplify.



 $x = \frac{\frac{2}{3}}{\frac{1}{6}}$  is the solution of the equation  $x + \frac{1}{6} = \frac{5}{6}$ .

**45.** 
$$x + \frac{3}{8} = \frac{7}{8}$$

$$x + \frac{3}{8} = \frac{7}{8}$$

$$x + \frac{3}{8} - \underline{\hspace{1cm}} = \frac{7}{8} - \underline{\hspace{1cm}}$$

x =\_\_\_\_\_ is the solution of the equation  $x + \frac{3}{8} = \frac{7}{8}$ .

**46.** 
$$e + \frac{2}{10} = \frac{7}{10}$$

e =\_\_\_\_\_ is the solution of the equation  $e + \frac{2}{10} = \frac{7}{10}$ .

**47.** 
$$k + \frac{4}{9} = \frac{7}{9}$$

**48.** 
$$\frac{11}{12} = p + \frac{2}{12}$$

## Solve each equation using the concept of balancing. Write your answer in simplest form.

Example

$$x - \frac{2}{9} = \frac{1}{9}$$

$$x - \frac{2}{9} = \frac{1}{9}$$

$$x - \frac{2}{9} + \underline{\qquad \qquad } = \frac{1}{9} + \underline{\qquad \qquad } = \frac{2}{9}$$

$$x = \underline{\qquad \qquad } = \frac{3}{9}$$

Add  $\frac{2}{9}$  to both sides of the equation and the two sides will remain equal. Then simplify.



 $x = \frac{1}{3}$  is the solution of the equation  $x - \frac{2}{9} = \frac{1}{9}$ .

**49.** 
$$g - \frac{1}{6} = \frac{1}{6}$$

$$g - \frac{1}{6} = \frac{1}{6}$$
$$g - \frac{1}{6} + \underline{\qquad} = \frac{1}{6} + \underline{\qquad}$$

g =\_\_\_\_\_ is the solution of the equation  $g - \frac{1}{6} = \frac{1}{6}$ .

**50.** 
$$d - \frac{7}{15} = \frac{2}{15}$$

d =\_\_\_\_\_ is the solution of the equation  $d - \frac{7}{15} = \frac{2}{15}$ .

**51.** 
$$w - \frac{1}{8} = \frac{5}{8}$$

**52.** 
$$\frac{7}{10} = n - \frac{1}{10}$$

# Solve each equation using the concept of balancing. Write your answer in simplest form.

– Example –

$$5x = \frac{2}{5}$$

$$5x = \frac{2}{5}$$

$$5x \div \underline{\qquad 5} = \frac{2}{5} \div \underline{\qquad 5}$$

$$x = \frac{2}{5} \cdot \frac{\frac{1}{5}}{\frac{2}{5}}$$

Divide both sides of the equation by 5 and the two sides will remain equal. Then simplify.



 $x = \frac{2}{25}$  is the solution of the equation  $5x = \frac{2}{5}$ .

**53.**  $7x = \frac{4}{7}$ 

$$7x = \frac{4}{7}$$

$$7x \div \underline{\hspace{1cm}} = \frac{4}{7} \div \underline{\hspace{1cm}}$$

$$x = \frac{4}{7} \cdot \underline{\hspace{1cm}}$$

x =\_\_\_\_\_ is the solution of the equation  $7x = \frac{4}{7}$ .

**54.**  $9m = \frac{5}{6}$ 

$$9m = \frac{5}{6}$$

$$9m = \frac{5}{6}$$

$$m = \frac{5}{6}$$

$$=$$

m =\_\_\_\_\_\_ is the solution of the equation  $9m = \frac{5}{6}$ .

**55.**  $3b = \frac{2}{7}$ 

**56.**  $4s = \frac{8}{9}$ 

**57.** 
$$\frac{3}{4} = 9y$$

**58.** 
$$\frac{4}{5} = 6x$$

**59.** 
$$8v = \frac{6}{7}$$

**60.** 
$$\frac{10}{11} = 5w$$

#### **Chapter 8**

#### Lesson 8.1

**1.** 7

**2.** 4

**3.** 19

**4.** 14

**5.** 10

**6.** 13

**7.** If 
$$x = 5$$
,  $x + 8 = \underline{5} + \underline{8}$ 

If 
$$x = 6$$
,  $x + 8 = \underline{6} + \overline{8}$ 

$$= \underline{14} \left( \neq \right) \underline{15}$$

x = 7 is the solution of the equation x + 8 = 15.

**8.** If m = 17, m - 7 = 17 - 7

$$= 10 \neq 12$$
If  $m = 18$ ,  $m - 7 = 18 - 7$ 

$$= 11 \neq 12$$
If  $m = 19$ ,  $m - 7 = 19 - 7$ 

$$= 12 = 12$$

$$= \underline{12} \left( = \underline{)12}$$

m = 19 is the solution of the equation m - 7 = 12.

- **9.** *a* = 7
- **10.** q = 9
- **11.** b = 5
- **12.** h = 8
- **13.** k = 16
- **14.** p = 18

**15.** If 
$$p = 3$$
,  $6p = 6 \cdot \frac{3}{2}$ 

p = 5 is the solution of the equation 6p = 30.

**16.** If 
$$w = 10$$
,  $\frac{1}{4}w = \frac{1}{4} \cdot \underline{10}$ 

$$= \frac{10}{4} \text{ or } 2\frac{1}{2} \neq 3$$

If 
$$w = 11$$
,  $\frac{1}{4}w = \frac{1}{4} \cdot \underline{11}$ 

$$=\frac{11}{4} \text{ or } 2\frac{3}{4} \neq \underline{3}$$

If 
$$w = \underline{12}, \frac{1}{4}w = \frac{1}{4} \cdot \underline{12}$$

$$=\frac{12}{4} \text{ or } 3 = 3$$

 $w = \underline{12}$  is the solution of the equation  $\frac{1}{4}w = 3$ .

- **17.** g = 7
- **18.** z = 7
- **19.** b = 18
- **20.** k = 30

**21.** 
$$a + 9 = 24$$

$$a + 9 - 9 = 24 - 9$$

$$a = 15$$

a = 15 is the solution of the equation a + 9 = 24.

**22.** 
$$c + 14 = 31$$

$$c + 14 \bigcirc \underline{14} = 31 \bigcirc \underline{14}$$

$$c = 1$$

c = 17 is the solution of the equation c + 14 = 31.

- **23.** w = 17
- **24.** g = 21
- **25.** p = 46
- **26.** s = 37

**27.** 
$$w - 8 = 25$$

$$w - 8 + 8 = 25 + 8$$

$$w = 33$$

w = 33 is the solution of the equation w - 8 = 25.

**28.** 
$$k - 13 = 8$$

$$k - 13 + \underline{13} = 8 + \underline{13}$$
$$k = 21$$

k = 21 is the solution of the equation k - 13 = 8.

- **29.** b = 34
- **30.** d = 55
- **31.** m = 24
- **32.** y = 40

**33.** 
$$7x = 42$$

$$7x \div 7 = 42 \div 7$$

$$x = 6$$

 $x = \underline{6}$  is the solution of the equation 7x = 42.

**34.** 
$$5p = 30$$

$$5p \div \underline{5} = 30 \div \underline{5}$$

$$p = 6$$

 $p = \underline{6}$  is the solution of the equation 5p = 30.

- **35.** m = 7
- **36.** w = 12
- **37.** n = 8
- **38.** e = 7

**39.** 
$$\frac{w}{9} = 6$$

$$\frac{w}{9} \cdot \underline{9} = 6 \cdot \underline{9}$$

$$w = 54$$

 $w = \underline{54}$  is the solution of the equation  $\frac{w}{9} = 6$ .

**40.** 
$$\frac{y}{y} =$$

$$\frac{y}{4}$$
  $\bigcirc$   $\underline{4} = 9$   $\bigcirc$   $\underline{4}$ 

$$v = 36$$

y = 36 is the solution of the equation  $\frac{y}{4} = 9$ . **41.** m = 27 **42.** h = 70

$$x + \frac{3}{8} = \frac{7}{8}$$

$$x + \frac{3}{8} - \frac{3}{8} = \frac{7}{8} - \frac{3}{8}$$

$$x = \frac{4}{8}$$

$$= \frac{1}{2}$$

 $x = \frac{1}{2}$  is the solution of the equation  $x + \frac{3}{8} = \frac{7}{8}$ .

$$e + \frac{2}{10} = \frac{7}{10}$$

$$e + \frac{2}{10} \bigcirc \frac{2}{10} = \frac{7}{10} \bigcirc \frac{2}{10}$$

$$e = \frac{5}{10}$$
$$= \frac{1}{2}$$

 $e = \frac{1}{2}$  is the solution of the equation  $e + \frac{2}{10} = \frac{7}{10}$ .

**47.**  $k = \frac{1}{2}$ 

**48.** 
$$p = \frac{3}{4}$$

49.

$$g - \frac{1}{6} = \frac{1}{6}$$

$$g - \frac{1}{6} + \frac{1}{6} = \frac{1}{6} + \frac{1}{6}$$

$$g = \frac{2}{6}$$

 $g = \frac{1}{3}$  is the solution of the equation  $g - \frac{1}{6} = \frac{1}{6}$ .

$$d - \frac{7}{15} = \frac{2}{15}$$

$$d - \frac{7}{15} = \frac{2}{15}$$

$$d - \frac{7}{15} \underbrace{+ \frac{7}{15}}_{15} = \frac{2}{15} \underbrace{+ \frac{7}{15}}_{15}$$
$$d = \underbrace{\frac{9}{15}}_{5}$$
$$= \frac{3}{5}$$

 $d = \frac{3}{5}$  is the solution of the equation  $d - \frac{7}{15} = \frac{2}{15}$ 

**52.** 
$$n = \frac{4}{5}$$

**53**.

$$7x = \frac{4}{7}$$

$$7x \div \underline{7} = \frac{4}{7} \div \underline{7}$$

$$x = \frac{4}{7} \cdot \frac{1}{7}$$
$$= \frac{4}{49}$$

 $x = \frac{4}{49}$  is the solution of the equation  $7x = \frac{4}{7}$ .

$$9m = \frac{5}{6}$$

$$9m \oplus \underline{9} = \frac{5}{6} \oplus \underline{9}$$

$$m = \frac{5}{6} \bigodot \frac{1}{9}$$
$$= \frac{5}{64}$$

 $m = \frac{5}{54}$  is the solution of the equation  $9m = \frac{5}{6}$ .

**56.** 
$$s = \frac{2}{9}$$

**57.**  $y = \frac{1}{12}$ 

**58.** 
$$x = \frac{2}{15}$$

**60.** 
$$w = \frac{2}{11}$$

**Lesson 8.2 1.** 6 + *u* 

**5.** a) x - 10

**b)** 
$$y = x - 10$$

c) Independent: x Dependent: y

**6.** a) g + 6

**b)** 
$$h = g + 6$$

c) Independent: g Dependent: h

**7.** a) (t + 35) dollars

**b)** 
$$u = t + 35$$

c) Independent: t Dependent: u

**8.** a) q - 8

**b)** 
$$v = g - 8$$

c) Independent: g Dependent: v

**9.** a)  $4 \cdot d = 4d$ 

**b)** 
$$g = 4d$$

c) Independent: d Dependent: g

**10.** a)  $m \div 10 = \frac{m}{10}$ 

**b)** 
$$w = \frac{m}{10}$$

c) Independent: m Dependent: w

**11.** a) 3n years

**b)** 
$$s = 3n$$

c) Independent: n Dependent: s

**12. a)**  $b \div 5 = \frac{b}{5}$  dollars **b)**  $k = \frac{b}{5}$ 

**b)** 
$$k = \frac{b}{5}$$

c) Independent: b Dependent: k